

# YELLOW 6% BLEACH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/25/2014

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : YELLOW 6% BLEACH  
Product code : WA-YEL6  
Formula : NaOCl  
Other means of identification : Sodium Hypochlorite Solution

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial and Institutional Liquid Laundry Bleach

#### 1.3. Details of the supplier of the safety data sheet

WATERMark Solutions  
3637 W. Roanoke, Ste. 8  
Phoenix, AZ 85009 - USA  
T (623) 326-7945

#### 1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Skin Corr. 1A H314  
Aquatic Acute 2 H401

#### 2.2. Label elements

##### GHS-US labelling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) :

**Danger**

Hazard statements (GHS-US) :

Causes severe skin burns and eye damage  
Toxic to aquatic life

Precautionary statements (GHS-US)

Prevention

Do not breathe fume, gas, mist, spray, vapours  
Wash hands, face, exposed skin thoroughly after handling  
Avoid release to the environment  
Wear eye protection, face protection, protective clothing, protective gloves

Response

IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor/physician  
Wash contaminated clothing before reuse

Storage

: Store locked up

Disposal

: Dispose of contents/container to comply with local/state/federal regulations.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-US)

No data available

# YELLOW 6% BLEACH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixture

| Name                | Product identifier | %      | GHS-US classification                        |
|---------------------|--------------------|--------|--|
| Sodium hypochlorite | (CAS No) 7681-52-9 | 5 - 10 | Skin Corr. 1B, H314<br>Aquatic Acute 1, H400 |

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).  |
| First-aid measures after inhalation   | : Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.  |
| First-aid measures after skin contact | : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.                                 |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. |
| First-aid measures after ingestion    | : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.   |

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.                     |

#### 5.2. Special hazards arising from the substance or mixture

Reactivity : Thermal decomposition generates: Corrosive vapours (Chlorine gas).  
Violent reaction with amines, ammonium carbonate, aziridine, methanol phenylcetonitrile, ammonium nitrate, ammonium oxalate, ammonium phosphate, cellulose and most organic compounds.

#### 5.3. Advice for firefighters

|                                |   |
|--------------------------------|---|
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection.   |

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# YELLOW 6% BLEACH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe fume/gas/mist/spray/vapours.
- Hygiene measures : Wash hands and other exposed skin thoroughly after handling. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight., Heat sources. Keep container closed when not in use. Container must be vented.
- Incompatible products : Do not mix acids, aqua ammonia or other organic or inorganic chemicals with this product.
- Incompatible materials : Sources of ignition. Direct sunlight.
- Prohibitions on mixed storage : KEEP SUBSTANCE AWAY FROM: (strong) acids. aqua ammonia. amines. organic materials. ammonium derivatives. cellulosic materials.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| Sodium hypochlorite (7681-52-9) |                  |         |
|---------------------------------|------------------|---------|
| USA ACGIH                       | ACGIH TWA (ppm)  | 0.5 ppm |
| USA ACGIH                       | ACGIH STEL (ppm) | 0.5 ppm |

#### 8.2. Exposure controls

- Personal protective equipment : Avoid all unnecessary exposure.
- Hand protection : Wear protective gloves.
- Eye protection : Chemical goggles or face shield.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : Wear appropriate mask.
- Other information : Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : Clear, greenish-yellow liquid with a chlorine odour
- Colour : Colorless to greenish-yellow
- Odour : Chlorine
- Odour threshold : No data available
- pH : > 12
- Relative evaporation rate (butylacetate=1) : No data available
- Melting point : No data available
- Freezing point : No data available
- Boiling point : 40 °C accompanied by decomposition
- Flash point : No data available
- Auto-ignition temperature : No data available
- Decomposition temperature : 40 °C
- Flammability (solid, gas) : No data available
- Vapour pressure : No data available
- Relative vapour density at 20 °C : No data available
- Relative density : 1.09
- Density : 9.09 lbs/gal
- Solubility : Soluble in water.
- Log Pow : No data available

# YELLOW 6% BLEACH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                      |                     |
|----------------------|---------------------|
| Log Kow              | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic   | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits     | : No data available |

### 9.2. Other information

|             |         |
|-------------|---------|
| VOC content | : 0.0 % |
|-------------|---------|

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours (Chlorine gas). Violent reaction with amines, ammonium carbonate, aziridine, methanol phenylacetone nitrile, ammonium nitrate, ammonium oxalate, ammonium phosphate, cellulose and most organic compounds.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids. Contact with acids liberates very toxic gas.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Do not mix acids, aqua ammonia or other organic or inorganic chemicals with this product.

### 10.6. Hazardous decomposition products

Corrosive vapours. Chlorine gas.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                                   |  |
|-----------------------------------|--|
| Acute toxicity                    | : Not classified                                       |
| Skin corrosion/irritation         | : Causes severe skin burns and eye damage.<br>pH: > 12 |
| Serious eye damage/irritation     | : Not classified<br>pH: > 12                           |
| Respiratory or skin sensitisation | : Not classified                                       |
| Germ cell mutagenicity            | : Not classified                                       |
| Carcinogenicity                   | : Not classified                                       |

#### Sodium hypochlorite (7681-52-9)

|   |   |
|---|---|
| IARC group  | 3 - Not classifiable  |
| Reproductive toxicity                               | : Not classified  |
| Specific target organ toxicity (single exposure)    | : Not classified  |
| Specific target organ toxicity (repeated exposure)  | : Not classified  |
| Aspiration hazard                                   | : Not classified  |
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |

## SECTION 12: Ecological information

### 12.1. Toxicity

|                 |                          |
|-----------------|--------------------------|
| Ecology - water | : Toxic to aquatic life. |
|-----------------|--------------------------|

### 12.2. Persistence and degradability

#### LAUNDRY BLEACH 6%

|                               |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

# YELLOW 6% BLEACH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |  |
|--|--|
| <b>Sodium hypochlorite (7681-52-9)</b> |  |
| Persistence and degradability          | No (test)data on mobility of the components of the mixture available. Not established. |

### 12.3. Bioaccumulative potential

|                           |                  |
|---------------------------|------------------|
| <b>LAUNDRY BLEACH 6%</b>  |                  |
| Bioaccumulative potential | Not established. |

|  |                  |
|--|------------------|
| <b>Sodium hypochlorite (7681-52-9)</b> |                  |
| Bioaccumulative potential              | Not established. |

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to ...  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1791 Hypochlorite solutions, 8, III  
UN-No.(DOT) : 1791  
DOT NA no. : UN1791  
DOT Proper Shipping Name : Hypochlorite solutions  
Department of Transportation (DOT) Hazard Classes : 8 - Class 8 - Corrosive material 49 CFR 173.136  
Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : III - Minor Danger  
DOT Special Provisions (49 CFR 172.102) : IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).  
N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material.  
T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)  
TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where:  $t_r$  is the maximum mean bulk temperature during transport,  $t_f$  is the temperature in degrees celsius of the liquid during filling, and  $\alpha$  is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling ( $t_f$ ) and the maximum mean bulk temperature during transportation ( $t_r$ ) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where:  $d_{15}$  and  $d_{50}$  are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.  
TP24 - The portable tank may be fitted with a device to prevent the build up of excess pressure due to the slow decomposition of the hazardous material being transported. The device must be in the vapor space when the tank is filled under maximum filling conditions. This device must also prevent an unacceptable amount of leakage of liquid in the case of overturning.  
DOT Packaging Exceptions (49 CFR 173.xxx) : 154  
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203  
DOT Packaging Bulk (49 CFR 173.xxx) : 241  
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 L

# YELLOW 6% BLEACH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

DOT Vessel Stowage Other : 26 - Stow "away from" acids

### Additional information

Other information : No supplementary information available.

### ADR

Transport document description :

### Transport by sea

No additional information available

### Air transport

No additional information available

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Sodium hypochlorite (7681-52-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

|  |        |
|--|--------|
| RQ (Reportable quantity, section 304 of EPA's List of Lists) : | 100 lb |
|--|--------|

### 15.2. International regulations

#### CANADA

No additional information available

#### EU-Regulations

No additional information available

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

#### Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

#### 15.2.2. National regulations

No additional information available

### 15.3. US State regulations

#### Sodium hypochlorite (7681-52-9)

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

Other information : None.

Full text of H-phrases: see section 16:

|                 |   |
|-----------------|---|
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Acute 2 | Hazardous to the aquatic environment — Acute Hazard, Category 2 |

# YELLOW 6% BLEACH

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|               |   |
|---------------|---|
| Skin Corr. 1A | Skin corrosion/irritation, Category 1A  |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1B  |
| H314          | Causes severe skin burns and eye damage |
| H400          | Very toxic to aquatic life              |
| H401          | Toxic to aquatic life                   |

SDS US (GHS HazCom 2012) - Custom

*The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.*